## Problems to be handed in

1 This problem introduces a useful technique for obtaining global estimates for  $C^1$  functions from local information (such as their gradients).

(a) Let a  $C^1$  function  $f : \mathbb{R}^n \to \mathbb{R}^n$  be given. Prove that there exists a continuous matrix-valued function  $G : \mathbb{R}^n \times \mathbb{R}^n \to \mathbb{R}^{n \times n}$ , such that

$$f(y) = f(x) + G(x, y - x)(y - x)$$

for all  $x, y \in \mathbb{R}^n$ .

(b) We say that a  $C^1$  function  $f : \mathbb{R}^n \to \mathbb{R}$  is *M*-smooth if

$$|\nabla f(x) - \nabla f(y)| \le M|x - y|, \quad \forall x, y \in \mathbb{R}^n$$

(where  $|\cdot|$  denotes the usual Euclidean norm). Prove that if f is M-smooth, then

$$f(y) - f(x) - \nabla f(x)^{\top} (y - x) \le \frac{M}{2} |x - y|^2$$

*Hint:* In both cases, try differentiating the  $C^1$  function  $F(t) := f(x + t(y - x)), t \in [0, 1]$ .

2 Consider a nonlinear system

$$\dot{x} = f(x, u)$$

with  $x \in \mathbb{R}^n$ ,  $u \in \mathbb{R}^m$ , where  $f(\cdot, \cdot)$  satisfies f(0, 0) = 0 and is  $C^1$  in both arguments. Suppose that this system admits a control Lyapunov function (CLF)  $V_0(x)$  and a  $C^1$  stabilizing state feedback law  $u = k_0(x)$ . Use an appropriate extension of the backstepping method to prove that the system

$$\dot{x} = f(x,\xi)$$
  
 $\dot{\xi} = h(x,\xi) + u$ 

with  $x \in \mathbb{R}^n$  and  $\xi, u \in \mathbb{R}^m$  admits a CLF  $V_1(x,\xi)$  and a continuous stabilizing state feedback law  $u = k_1(x,\xi)$ . Here,  $h(\cdot, \cdot)$  is continuous and satisfies h(0,0) = 0.

*Hint:* Problem 1(a) may be handy.

**3** Consider the linear system

$$\dot{x} = \theta x + \xi$$
$$\dot{\xi}_1 = \xi_2$$
$$\dot{\xi}_2 = u$$

with  $x, \xi_1, \xi_2, u \in \mathbb{R}$ . The parameter  $\theta \in \mathbb{R}$  is unknown. In class, we have used adaptive integrator backstepping to construct a CLF and an adaptive stabilizing controller for the corresponding system without the second integrator, i.e., when  $\xi_1 = u$ . Iterate on that construction to construct a CLF and an adaptive stabilizing controller for the above system with two integrators.